

441702
NASIRI NASROLLA
064Y/M

1 3 5 7 9

Screen Save

2025-04-21

Acq: -

Se: 20013/23

Im: 1/3

Loc: -

Lat: -

Std.Id: 42813

ET: -
TR: -
TI: -
TE: -

Thk: -
Zoom: 1/64x
W:859 L:429 (LINEAR)

GEHC
SARI MRI CENTER

DFOV: -

441702
NASIRI NASROLLA
064Y/M

1 3 5 7 9

Screen Save

2025-04-21

Acq: -

Se: 20014/23

Im: 1/3

Loc: -

Lat: -

Std.Id: 42813

ET: -
TR: -
TI: -
TE: -

Thk: -
Zoom: 1/64x
W:859 L:429 (LINEAR)

GEHC
SIGNA HD
SARI MRI CENTER

DFOV: -

441702
NASIRI NASROLLA
064Y/M

Screen: Save

2025-04-23

Acq:

Se: 20015/23

Im: 1/3

Loc:

Lot:

StdId: 42813

6

8

10

12

14

16

18

20

22

24

26

28

30

7

9

11

12

15

16

17

18

21

23

25

27

29

TE: 2
TR: 2
TE: 2
Thk: 2
Zoom: 1/64x
W: 206 L: 103 (LINEAR)

GEHC
SIGNA HD
SARIMRI CENTER

DFOV:

441702
NASIRI NASROLLA
064Y/M

1 3 5 7 9

Screen Save

2025-04-21

Acq: -

Se: 20012/23

Im: 1/3

Loc: -

Lat: -

Std.Id: 42813

ET: -
TR: -
TI: -
TE: -

Thk: -
Zoom: 1/64x
W:859 L:429 (LINEAR)

GEHC
SARI MRI CENTER

DFOV: -

441702
NASIRI NASROLLA
064Y/M

Screen Save

2025-04-21
Acq: -
Se: 20011/23
Im: 1/3
Loc: -
Lat: -
Std.Id: 42813

ET: -
TR: -
TI: -
TE: -

Thk: -
Zoom: 1/64x
W:206 L:103 (LINEAR)

GEHC
SARI MRI CENTER

DFOV: -

441702
NASIRI NASROLLA
064Y/M

Screen Save

2025-04-21
Acq: -
Se: 20010/23
Im: 1/3
Loc: -
Lat: -
Std.Id: 42813

ET: -
TR: -
TI: -
TE: -

Thk: -
Zoom: 1/64x
W:206 L:103 (LINEAR)

GEHC
SARI MRI CENTER

DFOV: -

441702
NASIRI NASROLLA
064Y/M

Screen Save

2025-04-21
Acq: -
Se: 20006/23
Im: 1/3
Loc: -
Lat: -
Std.Id: 42813



ET: -
TR: -
TI: -
TE: -

Thk: -
Zoom: 1/64x
W:360 L:180 (LINEAR)

GEHCGEHC
SIGNA HDe
SARI MRI CENTER

DFOV: -

441702
NASIRI NASROLLA
064Y/M

Screen Save

2025-04-21
Acq: -
Se: 20005/23
Im: 1/3
Loc: -
Lat: -
Std.Id: 42813

ET: -
TR: -
TI: -
TE: -
Thk: -
Zoom: 1/64x
W:3470 L:1735 (LINEAR)

GEHCGEHC
SIGNA HD
SARI MRI CENTER

DFOV: -

441702
NASIRI NASROLLA
064Y/M

Screen Save

2025-04-21
Acq: -
Se: 20004/23
Im: 1/3
Loc: -
Lat: -
Std.Id: 42813

ET: -
TR: -
TI: -
TE: -

Thk: -
Zoom: 1/64x
W:3245 L:1185 (LINEAR)


GEHC GEHC
SIGNA HD
SARI MRI CENTER

DFOV: -

441702
NASIRI NASROLLA
064Y/M

Screen Save

2025-04-21
Acq: -
Se: 20002/23
Im: 1/3
Loc: -
Lat: -
Std.Id: 42813



ET: -
TR: -
TI: -
TE: -
Thk: -
Zoom: 1/64x
W:433 L:216 (LINEAR)

GEHC GEHC
SIGNA HD
SARI MRI CENTER

DFOV: -

441702
NASIRI NASROLLA
064Y/M

AS

Ax T2 frFSE

2025-04-21
Acq: 05:53:55
Se: 15/23
Im: 1/30
Loc: l310/3
Lat: -
Std.Id: 42813

RS

LI

#Avg: 1
288 x 160
ET: 15
TR: 5100/00 ms
TI: 0/00 ms
TE: 108/06 ms
8CTL456
Thk: 5/0 mm
Zoom: 1/64x
W:824 L:412 (LINEAR)

PI

Flip: 90/00°

BW: 139/49 Hz/px
1/5 T

GEHC
SARI MRI CENTER

DFOV: 23/0 x 23/0 cm

441702
NASIRI NASROLLA
064Y/M

SR

Sag STIR irFSE

2025-04-21
Acq: 05:52:13
Se: 14/23
Im: 1/10
Loc: R4/1
Lat: -
Std.Id: 42813

A

P

#Avgs: 0/5
192 x 320
ET: 12
TR: 3500/00 ms
TI: 150/00 ms
TE: 47/86 ms
8CTL456
Thk: 4/0 mm
Zoom: 1/64x
W:487 L:243 (LINEAR)

Flip: 90/00°

BW: 162/77 Hz/px
1/5 T

GEHCGEHC
SIGNA HDe
SARI MRI CENTER

DFOV: 33/0 x 33/0 cm

IL

441702
NASIRI NASROLLA
064Y/M

SR

Sag T1 FSE

2025-04-21
Acq: 05:51:13
Se: 13/23
Im: 1/10
Loc: R4/1
Lat: -
Std.Id: 42813

A

P

#Avgs: 1
320 x 224
ET: 5
TR: 680/00 ms
TI: 0/00 ms
TE: 7/98 ms
8CTL456
Thk: 4/0 mm
Zoom: 1/64x
W:1289 L:644 (LINEAR)

Flip: 90/00°

BW: 162/77 Hz/px
1/5 T

GEHCGEHC
SIGNA HDe
SARI MRI CENTER

DFOV: 33/0 x 33/0 cm

IL

441702
NASIRI NASROLLA
064Y/M

SR

Sag T2 frFSE

2025-04-21
Acq: 05:50:05
Se: 12/23
Im: 1/10
Loc: R4/1
Lat: -
Std.Id: 42813

A

P

#Avgs: 1
224 x 352
ET: 24
TR: 2420/00 ms
TI: 0/00 ms
TE: 112/86 ms
8CTL456
Thk: 4/0 mm
Zoom: 1/64x
W:748 L:374 (LINEAR)

Flip: 90/00°

BW: 162/77 Hz/px
1/5 T

GEHCGEHC
SIGNA HDe
SARI MRI CENTER

DFOV: 33/0 x 33/0 cm

IL

441702
NASIRI NASROLLA
064Y/M

S

MYELO

2025-04-21
Acq: 05:49:43
Se: 11/23
Im: 1/1
Loc: L1/3
Lat: -
Std.Id: 42813

A

P

#Avg: 1/07143
320 x 224
ET: 1
TR: 1227/08 ms
TI: 0/00 ms
TE: 897/47 ms
8CTL456
Thk: 50/0 mm
Zoom: 1/66x
W:809 L:404 (LINEAR)

Flip: 90/00°

BW: 244/14 Hz/px
1/5 T

GEHC GEHC
SIGNA HDe
SARI MRI CENTER

DFOV: 30/0 x 30/0 cm

I

441702
NASIRI NASROLLA
064Y/M

SP

MYELO

2025-04-21
Acq: 05:49:17
Se: 10/23
Im: 1/1
Loc: P18/2
Lat: -
Std.Id: 42813



441702
NASIRI NASROLLA
064Y/M

A

3-pl T2* FGRE

2025-04-21
Acq: 05:48:16
Se: 8/23
Im: 1/7
Loc: l448/4
Lat: -
Std.Id: 42813

R

L

#Avgs: 1
66 x 192
ET: 1
TR: 6/50 ms
TI: 0/00 ms
TE: 2/43 ms
8CTL456
Thk: 4/0 mm
Zoom: 3/27x
W:439 L:219 (LINEAR)

Flip: 30/00°

BW: 244/14 Hz/px
1/5 T

GEHC GEHC
SIGNA HDe
SARI MRI CENTER

DFOV: 34/0 x 34/0 cm

P

441702
NASIRI NASROLLA
064Y/M

A

3-pl T2* FGRE

2025-04-21
Acq: 05:47:25
Se: 7/23
Im: 1/7
Loc: l331/8
Lat: -
Std.Id: 42813

R

L

#Avgs: 1
66 x 192
ET: 1
TR: 6/50 ms
TI: 0/00 ms
TE: 2/43 ms
8CTL456
Thk: 4/0 mm
Zoom: 3/27x
W:214 L:107 (LINEAR)

Flip: 30/00°

BW: 244/14 Hz/px
1/5 T

GEHCGEHC
SIGNA HDe
SARI MRI CENTER

DFOV: 34/0 x 34/0 cm

P

441702
NASIRI NASROLLA
064Y/M

AI

Ax MERGE

2025-04-21
Acq: 05:45:41
Se: 6/23
Im: 1/19
Loc: S49/9
Lat: -
Std.Id: 42813


RP

LA

#Avgs: 1
288 x 128
ET: 3
TR: 513/60 ms
TI: 0/00 ms
TE: 14/11 ms
8CTL12
Thk: 3/0 mm
Zoom: 1/64x
W:833 L:416 (LINEAR)

PS

Flip: 20/00°
BW: 122/07 Hz/px
1/5 T
GEHCGEHC
SIGNA HDe
SARI MRI CENTER
DFOV: 22/0 x 22/0 cm



441702
NASIRI NASROLLA
064Y/M

SL

Sag T1 FSE

2025-04-21
Acq: 05:44:35
Se: 5/23
Im: 1/10
Loc: R14/1
Lat: -
Std.Id: 42813

A

P

#Avgs: 1
320 x 224
ET: 5
TR: 680/00 ms
TI: 0/00 ms
TE: 8/14 ms
8CTL12
Thk: 3/0 mm
Zoom: 1/64x
W:2093 L:1046 (LINEAR)

IR

Flip: 90/00°

BW: 162/77 Hz/px
1/5 T

GEHC GEHC
SIGNA HDe
SARI MRI CENTER

DFOV: 25/0 x 25/0 cm

441702
NASIRI NASROLLA
064Y/M

SL

Sag T2 frFSE

2025-04-21
Acq: 05:43:14
Se: 4/23
Im: 1/10
Loc: R14/1
Lat: -
Std.Id: 42813

A

P

#Avgs: 2
160 x 320
ET: 24
TR: 2240/00 ms
TI: 0/00 ms
TE: 114/49 ms
8CTL12
Thk: 3/0 mm
Zoom: 1/64x
W:1324 L:662 (LINEAR)

Flip: 90/00°

BW: 162/77 Hz/px
1/5 T

GEHCGEHC
SIGNA HDe
SARI MRI CENTER

DFOV: 25/0 x 25/0 cm

IR

441702
NASIRI NASROLLA
064Y/M

SL

Myelo

2025-04-21
Acq: 05:42:22
Se: 2/23
Im: 1/2
Loc: L10/4
Lat: -
Std.Id: 42813

A

P

#Avgs: 0/541667
320 x 192
ET: 1
TR: 8000/00 ms
TI: 0/00 ms
TE: 797/44 ms
8CTL12
Thk: 52/0 mm
Zoom: 1/64x
W:2720 L:1360 (LINEAR)

IR

Flip: 90/00°

BW: 244/14 Hz/px
1/5 T

GEHC
GEHC
SIGNA HDe
SARI MRI CENTER

DFOV: 25/0 x 25/0 cm

441702
NASIRI NASROLLA
064Y/M

A

3-pl T2* FGRE

2025-04-21
Acq: 05:41:48
Se: 1/23
Im: 1/7
Loc: 15/5
Lat: -
Std.Id: 42813

R

L

#Avgs: 1
64 x 128
ET: 1
TR: 6/50 ms
TI: 0/00 ms
TE: 2/32 ms
8CTL12
Thk: 4/0 mm
Zoom: 3/27x
W:433 L:216 (LINEAR)

P

Flip: 30/00°

BW: 244/14 Hz/px
1/5 T

GEHCGEHC
SIGNA HDe
SARI MRI CENTER

DFOV: 31/0 x 31/0 cm